

DRINKING WATER SAMPLE SUBMISSION



(Mail Results/Invoice to) Name _____
 Address _____
 City _____ State _____ ZIP _____
 Email _____ Phone # _____

Well Owner's Name (If Different) _____
 Well Address _____
 City _____ State _____ ZIP _____
 Email _____ Phone # _____

Date Collected _____ Time _____ a.m. _____ p.m. Collected By _____
 Owner's Name _____
 Owner's Address _____
 City _____ State _____ ZIP _____
 Email _____ Phone # _____

| |
|---------------------|
| Sample Tap Location |
| Bathroom |
| Kitchen |
| Pressure |
| Milk House |
| Other _____ |
| Patron No. _____ |

CHECK INDIVIDUAL TEST(S) OR PACKAGE(S) NEEDED BELOW

| Bacteria Tests | Individual Tests | Homeowner's Package |
|------------------------------------|------------------|---|
| APC | Alkalinity | Bacteria/E.coli, Nitrate, pH, Mineral Pkg. |
| Coliform/E.coli Bacteria | Ammonia | Mineral Package |
| Coliform – MTF | Arsenic | Calcium, Copper, Hardness, Iron, Magnesium, Manganese, Potassium, Sodium, Sulfate, Zinc |
| Coliform/E.coli – MF | Boron | Livestock Package |
| Total Coliform/E.coli QT | Cadmium | Mineral Package, pH, TDS, Chloride & Nitrate |
| HPC | Calcium | Cranberry Package |
| Iron Bacteria | Chromium | Calcium, Iron, Magnesium, Manganese, Potassium, Hardness, Sodium, Sulfate, Chloride Conductivity, pH, Boron, Orthophosphorus, Alkalinity, Nitrate |
| Sulfur Bacteria | Chloride | Poison Contamination Package |
| Pseudomonas | Conductivity | Arsenic, Lead, Pesticide Screen |
| Annual Water Package | Copper | |
| Bacteria/E.coli & Nitrate | Fluoride | |
| Arsenic Well Package | Hardness | |
| Bacteria/E.coli, Nitrate & Arsenic | Iron | |
| | Lead | |
| | Magnesium | |
| | Manganese | |
| | Nickel | |
| | Nitrate | |
| | Nitrite | |
| | Orthophosphorus | |
| | pH | |
| | Total Phosphorus | |
| | Potassium | |
| | Selenium | |
| | Sodium | |
| | Sulfate | |
| | Zinc | |

*Digestion fees may apply if you are requesting metals testing. If turbidity is >1.0 a digestion step must be performed before analysis.

LABORATORY COMMENTS